

# ANS LIGHT ZONE

enlightening people

LIGHT...
Where it is needed..
When it is needed.. and As much as is needed..

#### **TABLE OF CONTENTS**

About us	01
Our Pursuits	02
Our Mission & Vision	04
Our Product Features	05
ANS Products	06
Wester	08
Wester Products	10
Quality Assurance	13
Lets Work Together	14



ANS Light Zone is a venture of **CAPTECH International**, Dubai. ANS Light Zone is established in the year 2019 in India to provide lighting solutions by manufacturing and distributing a wide range of LED lights and electrical solutions for indoor, outdoor and industrial usage.

ANS Light Zone is currently expanding our markets in India under the brand name Wester. We offer you the best LED technology and electrical equipment, making Wester the most sustainable alternative to traditional lighting systems. Our products are designed to achieve optimal performance at all conditions with high endurance thereby ensuring quality in our service.



#### OUR PURSUITS

ANS Light Zone's operation in India has the following business activities:

- Manufacturing and marketing of LED lightning and Electrical items.
- Supplying electrical items for industrial and institutional orders.
- Expanding its market presence in retail market by trading consumer goods and establishing retail outlets.
- Trading general commodities and capital goods.
- Undertaking private and government Infrastructure projects.

#### MANUFACTURING AND MARKETING LED LIGHTINGS.

We are an innovative manufacturing and trading company providing outstanding solutions in LED Lightings, Electrical items for domestic and industrial usage and cable components for a wide range of customers. Wester, as a brand envisions to dominate the LED market in India. With energy sustainability as the way forward and quality as defining feature of our products we will ensure the right product reaches the end user at the best price.





## SUPPLYING ELECTRICAL ITEMS FOR INDUSTRIAL AND INSTITUTIONAL ORDERS.

Since our inception, ANS Light Zone is promoting our business by exploiting state-of-the-art technologies that enables us provide our industrial and institutional clients with most advanced, excellent products and services to meet their needs and expectations. Guided by our vision to supply clients with top quality and durable electrical items, we leverage the wide experience achieved in our international operations for procurement, thereby addressing the diverse needs of our clients.

#### EXPANDING ITS MARKET PRESENCE IN RETAIL MARKET

ANS group is committed to expand our presence in India and create a market exclusive for our LED products in both wholesale and retail. Our plans include developing establishments where our entire LED range of products including popular bestsellers, specialty products and recent innovations will be displayed in all its glory. We established our retail presence by establishing plumbing and electrical products showrooms across Tamilnadu.





#### TRADING GENERAL COMMODITIES AND CAPITAL GOODS.


As a trading company with expertise in the field, ANS Light Zone aims for trading general commodities and capital goods in India. We trade a wide range of high-quality consumer goods and materials by

leveraging our partnerships with world-class manufacturers. Our goal is to supply clients and end customer with best quality product at better prices.




## UNDERTAKING PRIVATE AND GOVERNMENT INFRASTRUCTURE PROJECTS.

ANS Light Zone is ready to partner with innovative Government and Private Infrastructure projects. We offer a range of solutions for infrastructure projects in all its aspects like Electrical projects, Street lighting projects, AMC projects, MEP works, Road works, highway projects etc. We tailor our services to deliver the best solutions that meet your needs with our skilled labour force driven by expert management team. We bring our global expertise to achieve your goals. Our commitment to our clients in their projects begins from its very inception till its completion in time as per design requirements.



#### **OUR MISSION & VISION**

To emerge as one of the leading producer of LED lights that meet customers' expectations in design, reliability, innovation, cost effectiveness and excellence in quality.





## Select your fellow players


Each detail contributes to the whole picture. Even unnoticed, our luminaires play a significant role. Changing the perception, ruling the atmosphere. Pure design and simplicity make them discreet, yet effective. The fellow players you can always rely on for an illuminated world.

BELL PUSH SWITCH

SPOT LIGHT

BULB

SURFACE 1 WAY SWITCH









## Quality in every detail

Perfection may be boring, quality never is.

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.



#### B22LED BULBS PREMIUM SERIES





MODEL	WATT
WS1101-1007	07 Watt
WS1101-1009	09 Watt
WS1101-1012	12 Watt

TECHNICAL SPEC	IFICATIONS
Colour Temperature	3000K/6500K
Power Factor	> 0.95
Surge Protection	4 KV Surge
Input Voltage	AC 90-300V
Base Type	B-22
Colour Rendering Index (CRI)	> 80
Total Harmonic Distortion (THD)	< 20%
Ingress Protection	IP40











#### TE/TBLED TUBELIGHT PREMIUM SERIES

MODEL	WATT
WS1102-1010	10 Watt
WS1102-1020	20 Watt
WS1102-1022	22 Watt
WS1102-1036	36 Watt

TECHNICAL SPECIFICATIONS		
Colour Temperature	3000K/6500K	
Power Factor	> 0.95	
Surge Protection	4 KV Surge	
Input Voltage	AC 90 - 300V	
Base Type	Wall / Ceiling Mount	
Colour Rendering Index (CRI)	> 80	
Total Harmonic Distortion (THD)	< 20%	
Ingress Protection	IP40	

#### **LED PANEL LIGHT A SERIES**



MODEL	WATT
WS1103-1008	08 Watt
WS1103-1015	15 Watt
WS1103-1022	22 Watt

TECHNICAL SPECIFICATIONS		
Colour Temperature	3000K / 4000K / 6500K	
Power Factor	> 0.95	
Surge Protection	4 KV Surge	
Input Voltage	AC 90 - 300V	
Base Type	Recessed	
Colour Rendering Index (CRI)	> 80	
Total Harmonic Distortion (THD)	< 20%	
Ingress Protection	IP40	





#### **PANEL LIGHT ASTRA SERIES**

MODEL	WATT
WS1123 -1006	6 Watt
WS1123 -1012	8 Watt
WS1123 -1018	18 Watt

TECHNICAL SPEC	IFICATIONS
Colour Temperature	CW, WW, BL, GR, PK AND RD
Power Factor	> 0.95
Surge Protection	4 KV Surge
Input Voltage	AC 90 - 300V
Base Type	Recessed
Colour Rendering Index (CRI)	> 80
Total Harmonic Distortion (THD)	< 20%
Ingress Protection	IP40









#### **LEDSURFACE LIGHT A SERIES**





TECHNICAL SPECIFICATIONS		
Colour Temperature	3000K/6500K	
Power Factor	> 0.95	
Surge Protection	4 KV Surge	
Input Voltage	AC 90 - 300V	
Base Type	Recessed	
Colour Rendering Index (CRI)	> 80	
Total Harmonic Distortion (THD)	< 20%	
Ingress Protection	IP40	

MODEL	WATT
WS1104-1008	08 Watt
WS1104-1015	15 Watt
WS1104-1022	22 Watt














#### DEEPLICHT **CRESCENT SERIES**

TECHNICAL SPEC	IFICATIONS
Colour Temperature	CW,WW,BL,GR,PK, RD and 3in1
Power Factor	> 0.95
Surge Protection	4 KV Surge
Input Voltage	AC 90 - 300V
Base Type	Recessed
Colour Rendering Index (CRI)	> 80
Total Harmonic Distortion (THD)	< 20%
Ingress Protection	IP40

MODEL	WATT
WS1115-1008	08 Watt
WS1115-1012	12 Watt

#### LED DEEP LIGHT **CONCEAL SERIES**











WS1105-1006

WS1105-1007



**PANELLIGHTS** 

CONVERTIBLE SERIES

06 Watt

07 Watt




MODEL	WATT
WS1113-1008	08 Watt
WS1113-1015	15 Watt
WS1113-1022	22 Watt

TECHNICAL SPECIFICATIONS		
Colour Temperature	3000K/6500K	
Power Factor	> 0.95	
Surge Protection	4 KV Surge	
Input Voltage	AC 90 - 300V	
Base Type	Wall / Ceiling Mount	
Colour Rendering Index (CRI)	> 80	
Total Harmonic Distortion (THD)	< 20%	
Ingress Protection	IP40	

**High Brightness** 

Long life Energy Efficient Compact design





MODEL	WATT
WS1107-1001	1 Watt
WS1107-1002	2 Watt
WS1107-1003	3 Watt

TECHNICAL SPECIFICATIONS	
Colour Temperature	CW,WW,BL,GR,PK and RD
Power Factor	> 0.95
Surge Protection	2.5KV Surge
Input Voltage	AC 90-300V
Base Type	Recessed
Colour Rendering Index (CRI)	> 80
Total Harmonic Distortion (THD)	< 20%
Ingress Protection	IP40









#### **COB BUTTON LIGHTS M SERIES**

MODEL	WATT
WS1117-1003	03 Watt
WS1117-1005	05 Watt
WS1117-1006	06 Watt
WS1117-1007	07 Watt


TECHNICAL SPECIFICATIONS		
Colour Temperature	CW,WW,BL,GR,PK and RD	
Power Factor	> 0.95	
Surge Protection	2.5 KV Surge	
Input Voltage	AC 90-300V	
Base Type	Recessed	
Colour Rendering Index (CRI)	> 80	
Total Harmonic Distortion (THD)	< 20%	
Ingress Protection	IP40	











MODEL	WATT
1201-1009	09 Watt
1201-1018	18 Watt









## **LEDSTREET LIGHT**

TECHNICAL SPECIFICATIONS		
Colour Temperature	6500K	
Power Factor	> 0.95	
Surge Protection	6 KV Surge	
Input Voltage	AC 90 - 400V	
Base Type	Wall / Hanging	
Colour Rendering Index (CRI)	> 80	
Total Harmonic Distortion (THD)	< 20%	
Ingress Protection	IP66	

MODEL	WATT
WS1202-1024	24Watt
WS1202-1036	36 Watt
WS1202-1050	50 Watt
WS1202-1100	100 Watt







TECHNICAL SPECIFICATIONS		
Colour Temperature	6500K	
Power Factor	> 0.95	
Surge Protection	6 KV Surge	
Input Voltage	AC 90 - 400V	
Base Type	Wall / Hanging	
Colour Rendering Index (CRI)	> 80	
Total Harmonic Distortion (THD)	< 20%	
Ingress Protection	IP66	

MODEL	WATT
WS1213-1030	30 Watt
WS1213-1050	50 Watt
WS1213-1100	100 Watt
WS1213-1150	150 Watt
WS1213-1200	200 Watt









## FLOOD LIGHT **STAR SERIES**

MODEL	WATT
WS1203-1030	30 Watt
WS1203-1050	50 Watt
WS1203-1100	100 Watt
WS1203-1150	150 Watt
WS1203-1200	200 Watt

TECHNICAL SPECIFICATIONS		
Colour Temperature	6500K	
Power Factor	> 0.95	
Surge Protection	6 KV Surge	
Input Voltage	AC 90 - 400V	
Base Type	Wall / Hanging	
Colour Rendering Index (CRI)	> 80	
Total Harmonic Distortion (THD)	< 20%	
Ingress Protection	IP66	

High Brightness Long life Energy Efficient Compact design









MODEL	WATT
WS1204-1003	One way
WS1214-1006	Two way
WS1224-1004	Four way

TECHNICAL SPECIFICATIONS		
Colour Temperature	3000K/6500K	
Power Factor	> 0.95	
Surge Protection	4 KV Surge	
Input Voltage	AC 90 - 300V	
Base Type	Wall Mount	
Colour Rendering Index (CRI)	> 80	
Total Harmonic Distortion (THD)	< 20%	
Ingress Protection	IP66	





### B22 INVERTER BULBS I SERIES

MODEL	WATT
WS1111-1007	07 Watt
WS1111-1009	09 Watt
WS1111-1012	12 Watt

TECHNICAL SPECIFICATIONS		
Colour Temperature	6500K	
Power Factor	> 0.95	
Surge Protection	4 KV Surge	
Input Voltage	AC 90-300V	
Base Type	B-22	
Colour Rendering Index (CRI)	> 80	
Total Harmonic Distortion (THD)	< 20%	
Ingress Protection	IP40	



#### **OUR PRODUCT FEATURES**











HIGH BRIGHTNESS



**HIGH CRI** 

#### **RANGE OF PRODUCTS**








WEATHER PROOF LIGHTS (INGRESS PROTECTION)



OUTDOOR AND LANDSCAPE LIGHTINGS





### Let's work together

Welcome to ANS Light Zone

Our company, is a global provider of smart lighting solutions. As one of the most important players in the lighting market, we strive to contribute to the world's well-being. The future can be visible. All visible.





www.anslightzone.com sales@anslightzone.com

+91 86800 82000

☑ Branch Office: No. 2, 3<sup>rd</sup> Main Road, Water Canal Road, Korattur, Chennai -600 076

■ Head Office: P.NO. 76, Golden Avenue, K Sathanur, Trichy- 620 021